



Stargates

CLASSIC RANGE

BROCHURE 2025



CONTENTS

Introduction	4
Classic Range	6
Cézanne (CLO1)	6
Klimt (CLO2)	7
Matisse (CLO3)	8
Picasso (CLO4)	9
Renoir (CLO5)	10
Ticiano (CLO6)	11
Whistler (CLO7)	12
Zorn (CLO8)	13
Extended Range	14
Colour Chart	20
Measuring Gates	22
Terms & Conditions	24



CREATE THE PERFECT LOOK FOR YOUR HOME WITH THE STARGATE RANGE OF ALUMINIUM GATES

WHY CHOOSE STARGATES?

Stargates has been selling gates in the UK for over 20 years and is now the largest supplier of aluminium gates in the country.

We have our own facility in the UK and stock, remodel and repair aluminium gates on-site. Over the years, we've developed a wealth of expertise and have supplied gates to hundreds of happy customers.

Every single gate that leaves our site is carefully inspected by a member of our expert team to make sure it meets our high standards. This ensures the gates our customers receive are in pristine condition and are ready to be installed, automated and used straight away.

With over two decades of experience, a fantastic range of high quality gates and a commitment to customer satisfaction, Stargates is the perfect choice for your gate installation. Give us a call on **033 022 34800** to find out more and make your gate the star of your home.





Pictured: Left: CL04, Top above: CL04 and pedestrian gate, above: CL05, Left hand page top: CL01, bottom: DS19

WHY CHOOSE ALUMINIUM?

Strong, durable and stylish, aluminium gates can withstand the worst the British weather can throw at them. The perfect way to enhance curb appeal and transform the look of your driveway, aluminium gates will make the ideal addition to your home.

Unlike wooden gates, aluminium won't warp, bend or split over time. Easy to maintain and offering a great choice of finishes, aluminium gives you all the benefits of wood without the maintenance.

If you love the look of timber but don't want to see your gates slowly succumb to wet rot or green algae, opt for a wood finish for your aluminium gates. Combining the natural beauty of wood with the strength and durability of aluminium, wood effect gates are the perfect choice for your home.

Thanks to recent advances in manufacturing, wood effect aluminium gates are now more affordable, more hardwearing and more realistic than ever. Almost indistinguishable from natural timber, wood effect aluminium gates can give you the look and the durability you need for your home.

KEY BENEFITS OF ALUMINIUM GATES:

Strength - Thanks to their modular extrusion construction, aluminium gates are both incredibly strong and incredibly light. This construction is guaranteed for five years.

Durability - Their tough coating protects aluminium gates from the elements and prevents the finish from fading over time. This protective layer is guaranteed for ten years.

Versatility - Aluminium gates can be finished in a wide range of textures and colours including realistic wood effect.


Low maintenance - Aluminium gates require virtually no maintenance and will stay looking pristine for years.



KEY FEATURES

- Mixed infill gate with straight top.
- Open section is 200mm higher than bottom closed section (*not shown in pictures*).
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.



CL01

CÉZANNE



Picture above is a BA22 and is shown to illustrate the top curve.

KLIMT

CL02

KEY FEATURES

- Mixed infill gate with single arch top.
- At the hinge, the open and closed panels are equal height.
- Matching pedestrian gate with straight top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.



MATISSE

CL03

KEY FEATURES

- Solid boarded gate with straight top.
- Matching pedestrian gate with straight top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.





KEY FEATURES

- The ever-popular solid boarded gate with double arch top.
- Matching pedestrian gate with flat top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.

CLO4

PICASSO





KEY FEATURES

- Mixed infill gate with double arch top.
- At the hinge, the open and closed panels are equal height.
- Matching pedestrian gate with flat top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

CL05

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.

RENOIR



KEY FEATURES

- Solid boarded gate with single arch top.
- Matching pedestrian gate with flat top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.

Sliding gate option available with double swing appearance. Please contact us for max. size of sliding gate conversion.



The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.



TICIANO

CL06






WHISTLER

CL07

KEY FEATURES

- Solid boarded sliding gate with straight top.
- Single leaf appearance.
- Matching pedestrian gate available.
- Made-to-measure and suitable for automation.




The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.



KEY FEATURES

- Mixed infill gate with single arch top.
- At the hinge, the open panel height is approx 200mm more than closed section.
- Matching pedestrian gate with straight top.
- Sliding gate with double swing appearance.
- Made-to-measure and suitable for automation.




The picture above is the standard design for this gate. Small changes can be made to this design (as seen in some photographs) but these will incur a surcharge.



ZORN

CLO8









Our extended gate range contains a fantastic choice of stylish designs and bespoke options. From translucent glass panels to contemporary contours, these eye-catching gates will add something truly special to your property.


TRADITION




MODERN



DESIGN



PLENUS




VISION

EXTENDED RANGE



VS02



VS03



VS04

TUBES




TR07



TR08



TR09



TR10



TR14




TR13



TR16



TR11



TR15



TR12



TR17

For our full range of contemporary, modern and traditional gates please go to our website: www.stargateuk.net

FENCES



AG11

Tube 70mm



AG12

Tube 70mm




AG13A/B

Tube 70mm



AG14

Slat 100mm



AG15

Slat 100mm




AG16A/B

Slat 100mm




AG17

Slat 100mm



AG18

Slat 200mm



AG19

Slat 200mm



AG20

Cross Beam 60mm




AG21

Cross Beam 60mm



AG22

Cross Beam 60mm



AG23

Aluminium Sheet

AVAILABLE
IN BI-COLOUR
RAL 7016 ¹™
RAL 3004 ¹™




AG24

Ventilated tube 64mm



AG25


Frosted Glass



AG26

Perforated Aluminium Sheet

OPTIONS
PERFORATED SHEET




AG27

Decorative Panel



AG28

Aluminium Sheet
with Wood Effect



AG29

Slat 284mm



AG30

Slat 200mm & Profile 15mm




AG31

Slat 200mm & Profile 15mm 9006
Semi-Gloss or Textured




AG32

Slat 200mm & Profile 15mm 9006
Semi-Gloss or Textured



AG33

Slat 200mm & Profile 15mm 9006
Semi-Gloss or Textured



AG34


Slat 200mm & Frosted Glass




AG35

Slat 200mm & Frosted Glass

FENCES





TOTEM WITH LETTER BOX




DECORATIVE POSTS

EXTENDED RANGE



PALISADES



RAL 6005 - Semi-Gloss or Textured
STANDARD

RAL 3004 - Semi-Gloss or Textured
STANDARD

RAL 5003 - Semi-Gloss or Textured
STANDARD

RAL 9005 - Semi-Gloss or Textured
STANDARD

RAL 8014 - Semi-Gloss or Textured
STANDARD

RAL 7016 - Semi-Gloss or Textured
STANDARD

RAL 9016/70 - Semi-Gloss or Textured
STANDARD

COLOURS

Special colours available at an additional cost

RAL 7016/70
SPECIAL

RAL 5014 - Semi-Gloss or Textured
SPECIAL

RAL 7031 - Semi-Gloss or Textured
SPECIAL

GRIS SABLÉ 2900
SPECIAL

RAL 9007 - Semi-Gloss or Textured
SPECIAL

RAL 7039 - Semi-Gloss or Textured
SPECIAL

RAL 6021 - Semi-Gloss or Textured
SPECIAL

RAL 1015 - Semi-Gloss or Textured
STANDARD

RAL 7044 - Semi-Gloss or Textured
SPECIAL

RAL 9016 - Semi-Gloss or Textured
SPECIAL

RAL 7035 - Semi-Gloss or Textured
SPECIAL

RAL 9006 - Semi-Gloss or Textured
SPECIAL

NOIR SABLÉ 2100
SPECIAL

RAL 8019 - Semi-Gloss or Textured
SPECIAL

CUSTOMISED COLOURS ON DEMAND



MARS 2525
SPECIAL

RUST
SPECIAL

THE WOODS

DARK WALNUT 6
SPECIAL

DARK OAK 1
SPECIAL

GOLDEN OAK 4
SPECIAL

LIGHT OAK 7
SPECIAL

HOW TO MEASURE GATES

SINGLE LEAF GATE


Manual Gates are supplied with a full set of hinges, handles with a lock and a full length slam plate. They also have optional extras including open latching stop and an electric lock.

Automated Gates are supplied with a full set of hinges and a full length slam plate. Automation needs to be confirmed as underground or above ground. For above ground automation, the position of the reinforcing need to be confirmed (mid rail or bottom rail).


Dimensions

- A - Dimensions between posts/pier.
- B - Width of gate panel.
- C - Height of top of hinge stile from ground level.
- D - Height of post/pier.

The height of the pier must be a minimum of 100mm higher than the hinge stile.



DOUBLE LEAF GATE



Manual Gates are supplied as standard with a full set of hinges, handles with lock and manual close stop. They also have optional extras including open latching stops and unequal leaves (maximum leaf size 2500mm).


Automated Gates are supplied as standard with a full set of hinges. Automation needs to be confirmed as underground or above ground. For above ground automation, the position of the reinforcing need to be confirmed (mid rail or bottom rail). For underground automation the dimension between post and pivot and height above underground shoes needs to be confirmed. A set of underground shoes is available as an optional extra.

Dimensions

- A - Dimensions between posts/pier.
- B - Width of gate panel.
- C - Height of top of hinge stile from ground level.
- D - Height of post/pier.

The height of the pier must be a minimum of 100mm higher than the hinge stile.

SLIDING GATE



Manual Gates are supplied as standard with a bolt down track (16mm), top guide support, open stop, close stop/catch and a lock with keys and handle.

Automated Gates are supplied as standard with a bolt down track (16mm), top guide support, open stop, close stop/catch.

For windy locations and large openings, it is recommended to have a second top guide support, and close stop/catch.

Dimensions

A - Dimensions between posts/pier.

B - Width of gate panel.

C - Overall size of the gate.

D - Height top of the hinge stile from ground level.

E - Height of post/pillar.

The overall size of the gate is the dimension between posts plus 600mm. The height of the pier must be a minimum of 100mm higher than the hinge stile.



GATES MUST BE FITTED WITH OPEN AND CLOSED STOPS. FAILURE TO DO SO MAY INVALIDATE YOUR WARRANTY.

NOTES

TERMS AND CONDITIONS

1. Prices

- 1.1. All quotations are based on current prices. The price under any contract whether concluded on the basis of a quotation or otherwise will be calculated according to the Company's prices ruling at the date of delivery.
- 1.2. Prices and discounts shown in any price list are subject to alteration without notice and any new list cancels all previous lists.
- 1.3. Prices quoted and prices shown in the price lists are exclusive of VAT.
- 1.4. Prices quoted are ex-works. Delivery will be charged extra.

2. Payment

- 2.1. Office Sales. All aluminium gate and fencing products will require a minimum 50% deposit on order, and the balance (including transport where applicable) to be paid when the gate is ready for delivery and prior to despatch.
- 2.2. Online and telephone Sales. (Online orders require payment in full with order).
- 2.3. Aluminium Gates and Fencing are manufactured to order. Gates and Fencing are personalised and made to measure for each order. As such they are not covered by Distance Selling Regulations.
- 2.4. Once an order has been confirmed and fabrication started, payments will not be refunded.
- 2.5. Once confirmed, orders for Aluminium Gates and fencing cannot be cancelled, and changes in design after confirmation will be chargeable.
- 2.6. An order is confirmed on reception of the correct deposit payment and signed and dated confirmation of design.
- 2.7. Receipts are not issued for cheques unless requested.
- 2.8. Customers paying by cheque must produce a valid Banker's card unless payment is made at least 5 days before despatch of the goods or materials being paid for.

3. Quality and Description

- 3.1. Subject to the matters set out in the next following clause, all goods and materials supplied shall:
 - 3.1.1. Conform as to quality, quantity and description with the particulars stated in the order acknowledgement.
 - 3.1.2. Be of sound materials and workmanship.
 - 3.1.3. Be equal in all respects to any written specification provided.
 - 3.1.4. If the purpose for which they are required is indicated in the order either expressly or by indication, be fit for that purpose.

4. Measurements

- 4.1. Specifications of weight are approximate only.
- 4.2. The items ordered will be fabricated to measurements supplied by the customer.
- 4.3. It is the customer's responsibility to ensure that the specification of the gate/fence to be supplied is correct.
- 4.4. Every order will have a confirmation drawing issued indicating what is to be supplied and no fabrication will commence until this has been signed, dated and confirmed by the customer.

5. Warranty by Customer

The Customer warrants:

- 5.1. That the Customer will carefully examine all the goods and materials supplied and will notify the Company in writing of any shortage, defect or other failure to comply with the contract which is, or ought to be apparent upon such examination, within 24 hours of their being collected or delivered.
- 5.2. That he will notify the Company in writing within 24 hours of becoming aware of any shortage, defect or other failure to comply with the contract which was not apparent upon the aforesaid examination.

6. Consumer sales

- 6.1. Where a customer deals as a consumer as defined by Section 12 of the Sale of Goods Act 1977, goods and materials are supplied with the benefit where the same are applicable of the conditions and warranties implied by sections 12-15 inclusive of the Sale of Goods Act 1979.
- 6.2. In other cases goods and materials are supplied only with the benefit where the same are applicable of the condition and warranties implied by section 12 of the Sale of Goods act 1979.
- 6.3. Aluminium Gates and Fencing are manufactured to order. Gates and Fencing are personalised and made to measure for each order. As such they are not covered by Distance Selling Regulations.

7. Limitation of liability of the Company

- 7.1. Save as aforesaid and save as herein expressly set out the goods are not supplied with, or subject to, any condition, warranty or other term whether express or implied unless specifically stated by the Company in writing.
- 7.2. In no circumstances except in respect of death or personal injury caused by the Company's negligence shall the Company's liability (in contract or otherwise) to the Customer arising under, or out of, or in connection with this contract or the goods or materials supplied exceed the cost to the Customer of replacing or repairing goods or materials of which complaint is made. Further and in any event the Company accepts no liability for any consequential loss or damage (whether for loss of profit or otherwise) costs, expenses or other claims for consequential compensation whatsoever.

7.3. The Company shall not be under any liability for any cost or expense incurred by the Customer in repairing or replacing goods or materials unless the Company is first afforded a reasonable opportunity of replacing or repairing them provided that the Customer shall be entitled to effect repairs or replacement before affording such an opportunity as may be reasonably necessary to prevent any further loss or damage to the Customer.

8. Cancellation

- 8.1. Once an order has been confirmed and fabrication started, the order cannot be cancelled and payments will not be refunded.
- 8.2. The deposit is not refundable after the confirmation has been signed and returned. The order will need to be paid in full when the goods are ready for shipping.
- 8.3. In the event of the suspension of the work by the Customer's instructions or owing to lack of instructions the Company shall be entitled to increase the price by such an amount as they consider reasonable to cover any additional expense resulting to them for such suspension.

9. Credits

- 9.1. No goods which are made to measure can be returned for credit.
- 9.2. Once an order has been confirmed and fabrication started, payments will not be refunded.
- 9.3. Credit for the deposit is not refundable after the confirmation of designed has been returned.
- 9.4. Once confirmed, orders for Aluminium Gates and fencing cannot be cancelled, and changes in design after confirmation will be chargeable.
- 9.5. Goods which in are generally kept in stock (i.e. gate automation equipment) may be returned for credit with the Company's written consent.
- 9.6. Where the company agrees to accept back such goods or materials for credit (point 9.5), a 20% handling charge will be deducted from the amount of the credit together with the Company's reasonable charges if any for delivering such goods or materials to and/or collecting them from the site or Customers premises.
- 9.7. No goods or materials which are not defective and which conform to the contract may be returned without the Company's written consent.
- 9.8. No credit will be given for goods or materials returned without the Company's written consent to the extent that the Customer establishes to the satisfaction of the Company (such satisfaction to be expressed in writing) that the said goods or materials are defective or otherwise do not conform with the contract.

10. Delivery

- 10.1. While the Company will do its best to meet any delivery date given or agreed by it, such dates are estimates only given in good faith, and the Company will not be liable in the event of the delivery period being exceeded or accelerated for any reason whatsoever.
- 10.2. Aluminium Gates and Fencing will normally take approximately 6-8 weeks from order confirmation to delivery. This may be extended for special orders.
- 10.3. Orders cannot be accepted on the basis of fixed delivery dates/times. Notification will provided of anticipated despatch and delivery dates.
- 10.4. Where appropriate customers must ensure that there are sufficient facilities at the delivery address to unload their order.
- 10.5. All deliveries must be checked immediately on arrival and we must be informed within 24hrs of any damages or discrepancies.
- 10.6. Delivery will be at the Customer's premises unless otherwise agreed in writing expressly.
- 10.7. Where the Company agrees to deliver goods or materials to the site, the Customer shall ensure that the Company's (or Company's agents) vehicles have proper access and hard road to and from the site sufficient to enable the goods or materials to be delivered and the vehicles to leave with all reasonable speed.
- 10.8. The customer or its representative shall ensure enough individuals are present to help with the unloading of the goods.

11. Title and risk

- 11.1. Goods or materials delivered shall remain the property of the Company until all goods in respect of which payment is then due to the Company from the Customer are paid for, but shall be at the risk of the Customer after being delivered.

12. Variations to Order

- 12.1. Any quotation or agreement incorporating these terms and conditions or any of them may only be varied in writing signed by a duly authorised representative of the Company.

13. Limitation

- 13.1. No representative of the Company other than a director or the Company Secretary has any authority to agree any other or additional terms or conditions or to vary or waive any of the terms or conditions herein set out and then only if this is done in writing.

DISCLAIMER

Small changes may have been made to the gates shown in this brochure by the individual installers. This is usually due to specific on-site circumstances. Due to this, your gate, when installed, may not look exactly like the photo shown. Installation should always be discussed, assessed and completed by a trained gate fitter or preferably one of our approved installers. For a list of approved installers in your area please contact us via phone or email.

With our team on hand to help you every step of the way, transforming your property has never been easier. Choose one of our stunning contemporary designs and make your gate the star of your home. **Stargates - A gate for life.**





***Pictured:** Left hand page - Top left: CL03 (bespoke), top right: CL03, bottom left: CL08, bottom right: CL08
Right hand page - Top: CL01 (bespoke), below: CL06*

Stargates

1a Brookhill Rd
Pinxton
Nottingham
NG16 6NT

033 022 34800
enquiry@stargateuk.net
www.stargateuk.net

With thanks to:

Rob Ken
PHOTOGRAPHY